arXiv:0906.2890v2 [math.DG] 5 Jan 2010

Constant Jacobi osculating rank of $\mathbf{U(3)/(U(1) \times U(1) \times U(1))}$
- Appendix -

Teresa Arias-Marco[1]

Departamento de Matemáticas, Universidad de Extremadura,
Avenida de Elvas s/n, 06071 Badajoz, Spain.
email: ariasmarco@unex.es

Dedicated to Salud Bartoll.

Abstract

This is the appendix of the paper [T. Arias-Marco, Constant Jacobi osculating rank of $U(3)/(U(1) \times U(1) \times U(1))$, Arch. Math. (Brno) 45 (2009), 241–254] where we obtain an interesting relation between the covariant derivatives of the Jacobi operator valid for all geodesic on the flag manifold $M^6 = U(3)/(U(1) \times U(1) \times U(1))$. As a consequence, an explicit expression of the Jacobi operator independent of the geodesic can be obtained on such a manifold. Moreover, we show the way to calculate the Jacobi vector fields on this manifold by a new formula valid on every g.o. space.

Mathematics Subject Classification (2000). 53C21, 53C25, 53C30, 53C20

Key words and phrases. Reductive homogeneous spaces, naturally reductive space, g.o. space, Jacobi operator, Jacobi osculating rank.

---

[1] The author's work has been supported by D.G.I. (Spain) and FEDER Project MTM 2007-65852, the network MTM2008-01013-E/ and by DFG Sonderforschungsbereich 647.

Appendix

$\mathcal{J}_0^{2)} = \big(\mathcal{J}_{ij}^2(0)\big)$, $i, j = 1, \ldots, 6$, where

$$
\begin{aligned}
\mathcal{J}_{11}^2(0) &= -\tfrac{3}{4}\,\big(x_4^2(x_2^2+x_3^2+x_5^2+x_6^2) - 2(x_2x_6+x_3x_5)^2\big)\,,\\
\mathcal{J}_{12}^2(0) &= \tfrac{3}{8}\,\big(x_4x_5(x_1^2+x_2^2+x_4^2+x_5^2) - 2(x_2x_6+x_3x_5)(x_1x_6+x_3x_4)\big)\,,\\
\mathcal{J}_{13}^2(0) &= \tfrac{3}{8}\,\big(x_4x_6(x_1^2+x_3^2+x_4^2+x_6^2) - 2(x_2x_6+x_3x_5)(x_1x_5+x_2x_4)\big)\,,\\
\mathcal{J}_{14}^2(0) &= \tfrac{3}{4}\,\big(x_1x_4(x_2^2+x_3^2+x_5^2+x_6^2) + 2(x_2x_6+x_3x_5)(x_2x_3-x_5x_6)\big)\,,\\
\mathcal{J}_{15}^2(0) &= -\tfrac{3}{8}\,\big(x_2x_4(x_1^2+x_2^2+x_4^2+x_5^2) + 2(x_2x_6+x_3x_5)(x_1x_3-x_4x_6))\big)\,,\\
\mathcal{J}_{16}^2(0) &= -\tfrac{3}{8}\,\big(x_3x_4(x_1^2+x_3^2+x_4^2+x_6^2) + 2(x_2x_6+x_3x_5)(x_1x_2-x_4x_5)\big)\,,\\
\\
\mathcal{J}_{22}^2(0) &= -\tfrac{3}{4}\,\big(x_5^2(x_1^2+x_3^2+x_4^2+x_6^2) - 2(x_1x_6+x_3x_4)^2\big)\,,\\
\mathcal{J}_{23}^2(0) &= \tfrac{3}{8}\,\big(x_5x_6(x_2^2+x_3^2+x_5^2+x_6^2) - 2(x_1x_6+x_3x_4)(x_1x_5+x_2x_4)\big)\,,\\
\mathcal{J}_{24}^2(0) &= -\tfrac{3}{8}\,\big(x_1x_5(x_1^2+x_2^2+x_4^2+x_5^2) + 2(x_1x_6+x_3x_4)(x_2x_3-x_5x_6))\big)\,,\\
\mathcal{J}_{25}^2(0) &= \tfrac{3}{4}\,\big(x_2x_5(x_1^2+x_3^2+x_4^2+x_6^2) + 2(x_1x_6+x_3x_4)(x_1x_3-x_4x_6)\big)\,,\\
\mathcal{J}_{26}^2(0) &= -\tfrac{3}{8}\,\big(x_3x_5(x_2^2+x_3^2+x_5^2+x_6^2) + 2(x_1x_6+x_3x_4)(x_1x_2-x_4x_5)\big)\,,\\
\\
\mathcal{J}_{33}^2(0) &= -\tfrac{3}{4}\,\big(x_6^2(x_1^2+x_2^2+x_4^2+x_5^2) - 2(x_1x_5+x_2x_4)^2\big)\,,\\
\mathcal{J}_{34}^2(0) &= -\tfrac{3}{8}\,\big(x_1x_6(x_1^2+x_3^2+x_4^2+x_6^2) + 2(x_1x_5+x_2x_4)(x_2x_3-x_5x_6))\big)\,,\\
\mathcal{J}_{35}^2(0) &= -\tfrac{3}{8}\,\big(x_2x_6(x_2^2+x_3^2+x_5^2+x_6^2) + 2(x_1x_5+x_2x_4)(x_1x_3-x_4x_6)\big)\,,\\
\mathcal{J}_{36}^2(0) &= \tfrac{3}{4}\,\big(x_3x_6(x_1^2+x_2^2+x_4^2+x_5^2) + 2(x_1x_5+x_2x_4)(x_1x_2-x_4x_5)\big)\,,\\
\\
\mathcal{J}_{44}^2(0) &= -\tfrac{3}{4}\,\big(x_1^2(x_2^2+x_3^2+x_5^2+x_6^2) - 2(x_2x_3-x_5x_6)^2\big)\,,\\
\mathcal{J}_{45}^2(0) &= \tfrac{3}{8}\,\big(x_1x_2(x_1^2+x_2^2+x_4^2+x_5^2) - 2(x_2x_3-x_5x_6)(x_1x_3-x_4x_6)\big)\,,\\
\mathcal{J}_{46}^2(0) &= \tfrac{3}{8}\,\big(x_1x_3(x_1^2+x_3^2+x_4^2+x_6^2) - 2(x_2x_3-x_5x_6)(x_1x_2-x_4x_5)\big)\,,\\
\\
\mathcal{J}_{55}^2(0) &= -\tfrac{3}{4}\,\big(x_2^2(x_1^2+x_3^2+x_4^2+x_6^2) - 2(x_1x_3-x_4x_6)^2\big)\,,\\
\mathcal{J}_{56}^2(0) &= \tfrac{3}{8}\,\big(x_2x_3(x_2^2+x_3^2+x_5^2+x_6^2) - 2(x_1x_3-x_4x_6)(x_1x_2-x_4x_5)\big)\,,\\
\\
\mathcal{J}_{66}^2(0) &= -\tfrac{3}{4}\,\big(x_3^2(x_1^2+x_2^2+x_4^2+x_5^2) - 2(x_1x_2-x_4x_5)^2\big)\,.
\end{aligned}
\tag{1}
$$

$\mathcal{J}_0^{3)} = \big(\mathcal{J}_{ij}^3(0)\big)$, $i, j = 1, \dots, 6$, where

$$\begin{aligned}
\mathcal{J}_{11}^3(0) &= \tfrac{9}{8\sqrt{2}}\; x_4(x_2^2 - x_3^2 + x_5^2 - x_6^2)(x_2x_6 + x_3x_5),\\
\mathcal{J}_{12}^3(0) &= \tfrac{3}{16\sqrt{2}}\, \big(x_3(x_1^2(x_4^2 - 4x_5^2) + x_2^2(4x_4^2 - x_5^2) + (x_4^2 - x_5^2)(7x_3^2 + x_4^2 + x_5^2 + 7x_6^2))\\
&\quad + x_1x_4x_6(x_1^2 + 4x_2^2 + 7x_3^2 + x_4^2 + 4x_5^2 + 7x_6^2) - x_2x_5x_6(4x_1^2 + x_2^2 + 7x_3^2 + 4x_4^2 + x_5^2 + 7x_6^2)\big)\,,\\
\mathcal{J}_{13}^3(0) &= \tfrac{3}{16\sqrt{2}}\, \big(-x_4(x_1x_5 + x_2x_4)(x_1^2 + 7x_2^2 + 4x_3^2 + x_4^2 + 7x_5^2 + 4x_6^2))\\
&\quad + x_6(x_2x_6 + x_3x_5)(4x_1^2 + 7x_2^2 + x_3^2 + 4x_4^2 + 7x_5^2 + x_6^2)\big)\,,\\
\mathcal{J}_{14}^3(0) &= \tfrac{9}{16\sqrt{2}}\; (x_2^2 - x_3^2 + x_5^2 - x_6^2)(x_1(x_2x_6 - x_3x_5) + x_4(x_2x_3 - x_5x_6)),\\
\mathcal{J}_{15}^3(0) &= \tfrac{3}{16\sqrt{2}}\, \big(x_4(x_1x_3 - x_4x_6)(x_1^2 + 4x_2^2 + 7x_3^2 + x_4^2 + 4x_5^2 + 7x_6^2))\\
&\quad + x_2(x_2x_6 + x_3x_5)(4x_1^2 + x_2^2 + 7x_3^2 + 4x_4^2 + x_5^2 + 7x_6^2)\big)\,,\\
\mathcal{J}_{16}^3(0) &= \tfrac{3}{16\sqrt{2}}\, \big(x_5(x_1^2(x_4^2 - 4x_3^2) + x_6^2(4x_4^2 - x_3^2) + (x_4^2 - x_3^2)(7x_2^2 + x_3^2 + x_4^2 + 7x_5^2))\\
&\quad - x_1x_2x_4(x_1^2 + 7x_2^2 + 4x_3^2 + x_4^2 + 7x_5^2 + 4x_6^2) - x_6x_2x_3(4x_1^2 + 7x_2^2 + x_3^2 + 4x_4^2 + 7x_5^2 + x_6^2)\big)\,,\\[1ex]
\mathcal{J}_{22}^3(0) &= \tfrac{9}{8\sqrt{2}}\; x_5(x_1^2 - x_3^2 + x_4^2 - x_6^2)(x_1x_6 + x_3x_4),\\
\mathcal{J}_{23}^3(0) &= \tfrac{3}{16\sqrt{2}}\, \big(x_5(x_1x_5 + x_2x_4)(7x_1^2 + x_2^2 + 4x_3^2 + 7x_4^2 + x_5^2 + 4x_6^2))\\
&\quad - x_6(x_1x_6 + x_3x_4)(7x_1^2 + 4x_2^2 + x_3^2 + 7x_4^2 + 4x_5^2 + x_6^2)\big)\,,\\
\mathcal{J}_{24}^3(0) &= \tfrac{3}{16\sqrt{2}}\, \big(x_6(x_2^2(4x_1^2 - x_5^2) + x_4^2(x_1^2 - 4x_5^2) + (x_1^2 - x_5^2)(x_1^2 + 7x_3^2 + x_5^2 + 7x_6^2))\\
&\quad - x_2x_3x_5(4x_1^2 + x_2^2 + 7x_3^2 + 4x_4^2 + x_5^2 + 7x_6^2) - x_4x_1x_3(x_1^2 + 4x_2^2 + 7x_3^2 + x_4^2 + 4x_5^2 + 7x_6^2)\big)\,,\\
\mathcal{J}_{25}^3(0) &= \tfrac{9}{16\sqrt{2}}\; (x_1^2 - x_3^2 + x_4^2 - x_6^2)(x_2(x_1x_6 + x_3x_4) - x_5(x_1x_3 + x_4x_6)),\\
\mathcal{J}_{26}^3(0) &= \tfrac{3}{16\sqrt{2}}\, \big(x_4(x_2^2(4x_3^2 - x_5^2) + x_6^2(x_3^2 - 4x_5^2) + (x_3^2 - x_5^2)(7x_1^2 + x_3^2 + 7x_4^2 + x_5^2))\\
&\quad + x_2x_1x_5(7x_1^2 + x_2^2 + 4x_3^2 + 7x_4^2 + x_5^2 + 4x_6^2) + x_6x_1x_3(7x_1^2 + 4x_2^2 + x_3^2 + 7x_4^2 + 4x_5^2 + x_6^2)\big)\,,\\[1ex]
\mathcal{J}_{33}^3(0) &= \tfrac{9}{8\sqrt{2}}\; x_6(x_1^2 - x_2^2 + x_4^2 - x_5^2)(x_1x_5 + x_2x_4),\\
\mathcal{J}_{34}^3(0) &= \tfrac{3}{16\sqrt{2}}\, \big(x_6(x_2x_3 - x_5x_6)(4x_1^2 + 7x_2^2 + x_3^2 + 4x_4^2 + 7x_5^2 + x_6^2))\\
&\quad + x_1(x_1x_5 + x_2x_4)(x_1^2 + 7x_2^2 + 4x_3^2 + x_4^2 + 7x_5^2 + 4x_6^2)\big)\,,\\
\mathcal{J}_{35}^3(0) &= \tfrac{3}{16\sqrt{2}}\, \big(x_6(-x_1x_3 + x_4x_6)(7x_1^2 + 4x_2^2 + x_3^2 + 7x_4^2 + 4x_5^2 + x_6^2))\\
&\quad - x_2(x_1x_5 + x_2x_4)(7x_1^2 + x_2^2 + 4x_3^2 + 7x_4^2 + x_5^2 + 4x_6^2)\big)\,,\\
\mathcal{J}_{36}^3(0) &= \tfrac{9}{16\sqrt{2}}\; (x_1^2 - x_2^2 + x_4^2 - x_5^2)(-x_3(x_1x_5 + x_2x_4) + x_6(x_1x_2 - x_4x_5)),\\[1ex]
\mathcal{J}_{44}^3(0) &= \tfrac{9}{8\sqrt{2}}\; x_1(x_2^2 - x_3^2 + x_5^2 - x_6^2)(-x_2x_3 + x_5x_6),\\
\mathcal{J}_{45}^3(0) &= \tfrac{3}{16\sqrt{2}}\, \big(x_3(-x_1^2(x_4^2 + 4x_5^2) + x_2^2(4x_4^2 + x_5^2) - (x_1^2 - x_2^2)(x_1^2 + x_2^2 + 7x_3^2 + 7x_6^2))\\
&\quad + x_4x_1x_6(x_1^2 + 4x_2^2 + 7x_3^2 + x_4^2 + 4x_5^2 + 7x_6^2) + x_5x_2x_6(4x_1^2 + x_2^2 + 7x_3^2 + 4x_4^2 + x_5^2 + 7x_6^2)\big)\,,\\
\mathcal{J}_{46}^3(0) &= \tfrac{3}{16\sqrt{2}}\, \big(x_1(x_1x_2 - x_4x_5)(x_1^2 + 7x_2^2 + 4x_3^2 + x_4^2 + 7x_5^2 + 4x_6^2))\\
&\quad - x_3(x_2x_3 - x_5x_6)(4x_1^2 + 7x_2^2 + x_3^2 + 4x_4^2 + 7x_5^2 + x_6^2)\big)\,,\\[1ex]
\mathcal{J}_{55}^3(0) &= \tfrac{9}{8\sqrt{2}}\; x_2(x_1^2 - x_3^2 + x_4^2 - x_6^2)(x_1x_3 - x_4x_6),\\
\mathcal{J}_{56}^3(0) &= \tfrac{3}{16\sqrt{2}}\, \big(x_1(-x_2^2(x_5^2 + 4x_6^2) + x_3^2(4x_5^2 + x_6^2) - (x_2^2 - x_3^2)(7x_1^2 + x_2^2 + x_3^2 + 7x_4^2))\\
&\quad + x_5x_2x_4(7x_1^2 + x_2^2 + 4x_3^2 + 7x_4^2 + x_5^2 + 4x_6^2) - x_6x_3x_4(7x_1^2 + 4x_2^2 + x_3^2 + 7x_4^2 + 4x_5^2 + x_6^2)\big)\,,\\[1ex]
\mathcal{J}_{66}^3(0) &= \tfrac{9}{8\sqrt{2}}\; x_3(x_1^2 - x_2^2 + x_4^2 - x_5^2)(-x_1x_2 + x_4x_5),
\end{aligned} \tag{2}$$

$\mathcal{J}_0^{4)} = \big(\mathcal{J}^4_{ij}(0)\big)$, $i, j = 1, \dots, 6$, where

$$
\begin{aligned}
\mathcal{J}^4_{11}(0) &= \tfrac{3}{32}\big(-8(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_2x_6+x_3x_5)^2\\
&\quad + x_4^2((x_1^2+7x_2^2+7x_3^2+x_4^2+7x_5^2+7x_6^2)(x_2^2+x_3^2+x_5^2+x_6^2)-6(x_2^2+x_5^2)(x_3^2+x_6^2))\big)\\
\mathcal{J}^4_{12}(0) &= \tfrac{3}{64}\big(8x_6(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1x_2x_6+x_1x_3x_5+x_2x_3x_4)\\
&\quad -x_4x_5((x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2-(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(3x_3^2-5x_6^2)\\
&\quad +12\,((x_1^2+x_4^2)(x_2^2+x_5^2)-(x_3^2+x_6^2)^2))\big)\\
\mathcal{J}^4_{13}(0) &= \tfrac{3}{64}\big(8x_5(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1x_2x_6+x_1x_3x_5+x_2x_3x_4)\\
&\quad -x_4x_6((x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2+(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(-3x_2^2+5x_5^2)\\
&\quad +12\,((x_1^2+x_4^2)(x_3^2+x_6^2)-(x_2^2+x_5^2)^2))\big)\\
\mathcal{J}^4_{14}(0) &= \tfrac{3}{32}\big(8(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(-x_2x_3+x_5x_6)(x_2x_6+x_3x_5)\\
&\quad - x_1x_4((x_1^2+x_4^2)(x_2^2+x_3^2+x_5^2+x_6^2)-6(x_2^2+x_5^2)(x_3^2+x_6^2)+7(x_2^2+x_3^2+x_5^2+x_6^2)^2\big)\\
\mathcal{J}^4_{15}(0) &= \tfrac{3}{64}\big(8x_3(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1x_2x_6+x_1x_3x_5-x_4x_5x_6)\\
&\quad +x_2x_4((x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2+(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(5x_3^2-3x_6^2)\\
&\quad +12\,((x_1^2+x_4^2)(x_2^2+x_5^2)-(x_3^2+x_6^2)^2))\big)\\
\mathcal{J}^4_{16}(0) &= \tfrac{3}{64}\big(8x_2(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1x_2x_6+x_1x_3x_5-x_4x_5x_6)\\
&\quad +x_3x_4((x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2+(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(5x_2^2-3x_5^2)\\
&\quad +12\,((x_1^2+x_4^2)(x_3^2+x_6^2)-(x_2^2+x_5^2)^2))\big)
\end{aligned}
$$

$$
\begin{aligned}
\mathcal{J}^4_{22}(0) &= \tfrac{3}{32}\big(-8(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1x_6+x_3x_4)^2\\
&\quad + x_5^2((7x_1^2+x_2^2+7x_3^2+7x_4^2+x_5^2+7x_6^2)(x_1^2+x_3^2+x_4^2+x_6^2)-6(x_1^2+x_4^2)(x_3^2+x_6^2))\big)\\
\mathcal{J}^4_{23}(0) &= \tfrac{3}{64}\big(8x_4(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1x_2x_6+x_1x_3x_5+x_2x_3x_4)\\
&\quad -x_5x_6((x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2-(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(3x_1^2-5x_4^2)\\
&\quad +12\,((x_2^2+x_5^2)(x_3^2+x_6^2)-(x_1^2+x_4^2)^2))\big)\\
\mathcal{J}^4_{24}(0) &= \tfrac{3}{64}\big(8x_3(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1x_2x_6+x_2x_3x_4-x_4x_5x_6)\\
&\quad +x_1x_5((x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2+(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(5x_3^2-3x_6^2)\\
&\quad +12\,((x_1^2+x_4^2)(x_2^2+x_5^2)-(x_3^2+x_6^2)^2))\big)\\
\mathcal{J}^4_{25}(0) &= \tfrac{3}{32}\big(8(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(-x_1x_3+x_4x_6)(x_1x_6+x_3x_4)\\
&\quad - x_2x_5((x_2^2+x_5^2)(x_1^2+x_3^2+x_4^2+x_6^2)-6(x_1^2+x_4^2)(x_3^2+x_6^2)+7(x_1^2+x_3^2+x_4^2+x_6^2)^2\big)\\
\mathcal{J}^4_{26}(0) &= \tfrac{3}{64}\big(8x_1(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1x_2x_6+x_2x_3x_4-x_4x_5x_6)\\
&\quad +x_3x_5((x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2+(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(5x_1^2-3x_4^2)\\
&\quad +12\,((x_2^2+x_5^2)(x_3^2+x_6^2)-(x_1^2+x_4^2)^2))\big)
\end{aligned}
$$

$$
\begin{aligned}
\mathcal{J}^4_{33}(0) &= \tfrac{3}{32}\big(8(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1x_5+x_2x_4)^2\\
&\quad - x_6^2((7x_1^2+7x_2^2+x_3^2+7x_4^2+7x_5^2+x_6^2)(x_1^2+x_2^2+x_4^2+x_5^2)-6(x_1^2+x_4^2)(x_2^2+x_5^2))\big)\\
\mathcal{J}^4_{34}(0) &= \tfrac{3}{64}\big(8x_2(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1x_3x_5+x_2x_3x_4-x_4x_5x_6)\\
&\quad +x_1x_6((x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2+(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(5x_2^2-3x_5^2)\\
&\quad +12\,((x_1^2+x_4^2)(x_3^2+x_6^2)-(x_2^2+x_5^2)^2))\big)\\
\mathcal{J}^4_{35}(0) &= \tfrac{3}{64}\big(8x_1(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1x_3x_5+x_2x_3x_4-x_4x_5x_6)\\
&\quad +x_2x_6((x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2+(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(5x_1^2-3x_4^2)\\
&\quad +12\,((x_2^2+x_5^2)(x_3^2+x_6^2)-(x_1^2+x_4^2)^2))\big)\\
\mathcal{J}^4_{36}(0) &= \tfrac{3}{32}\big(8(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(-x_1x_2+x_4x_5)(x_1x_5+x_2x_4)\\
&\quad - x_3x_6((x_3^2+x_6^2)(x_1^2+x_2^2+x_4^2+x_5^2)-6(x_1^2+x_4^2)(x_2^2+x_5^2)+7(x_1^2+x_2^2+x_4^2+x_5^2)^2\big)
\end{aligned}
$$

$$\begin{aligned}
\mathcal{J}^4_{44}(0) &= \tfrac{3}{32}\big(-8(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_2x_3-x_5x_6)^2 \\
&\quad + x_1^2((x_1^2+7x_2^2+7x_3^2+x_4^2+7x_5^2+7x_6^2)(x_2^2+x_3^2+x_5^2+x_6^2)-6(x_2^2+x_5^2)(x_3^2+x_6^2))\big) \\
\mathcal{J}^4_{45}(0) &= \tfrac{3}{64}\big(8x_6(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(-x_1x_3x_5-x_2x_3x_4+x_4x_5x_6) \\
&\quad -x_1x_2((x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2+(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(3x_3^2-5x_6^2) \\
&\quad +12\ ((x_1^2+x_4^2)(x_2^2+x_5^2)-(x_3^2+x_6^2)^2))\big) \\
\mathcal{J}^4_{46}(0) &= \tfrac{3}{64}\big(8x_5(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(-x_1x_2x_6-x_2x_3x_4+x_4x_5x_6) \\
&\quad -x_1x_3((x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2-(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(3x_2^2-5x_5^2) \\
&\quad +12\ ((x_1^2+x_4^2)(x_3^2+x_6^2)-(x_2^2+x_5^2)^2))\big) \\[1em]
\mathcal{J}^4_{55}(0) &= \tfrac{3}{32}\big(-8(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1x_3-x_4x_6)^2 \\
&\quad + x_2^2((7x_1^2+x_2^2+7x_3^2+7x_4^2+x_5^2+7x_6^2)(x_1^2+x_3^2+x_4^2+x_6^2)-6(x_1^2+x_4^2)(x_3^2+x_6^2))\big) \\
\mathcal{J}^4_{56}(0) &= \tfrac{3}{64}\big(8x_4(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(-x_1x_2x_6-x_1x_3x_5+x_4x_5x_6) \\
&\quad -x_2x_3((x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2-(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(3x_1^2-5x_4^2) \\
&\quad +12\ ((x_2^2+x_5^2)(x_3^2+x_6^2)-(x_1^2+x_4^2)^2))\big) \\[1em]
\mathcal{J}^4_{66}(0) &= \tfrac{3}{32}\big(-8(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1x_2-x_4x_5)^2 \\
&\quad + x_3^2((7x_1^2+7x_2^2+x_3^2+7x_4^2+7x_5^2+x_6^2)(x_1^2+x_2^2+x_4^2+x_5^2)-6(x_1^2+x_4^2)(x_2^2+x_5^2))\big)
\end{aligned} \tag{3}$$

$\mathcal{J}_0^{5)} = \bigl(\mathcal{J}_{ij}^5(0)\bigr)$, $i, j = 1, \dots, 6$, where

$$
\begin{array}{rcl}
\mathcal{J}_{11}^5(0) & = & -\frac{45}{64\sqrt{2}}\ x_4(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_2^2-x_3^2+x_5^2-x_6^2)(x_2x_6+x_3x_5), \\
\mathcal{J}_{12}^5(0) & = & \frac{3}{32\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2\ \bigl(x_3(x_4^2-x_5^2)+x_6(x_1x_4-x_2x_5)\bigr) \\
 & & -\frac{15}{128\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)\ \bigl(x_3(x_1^2(x_4^2-4x_5^2)+x_2^2(4x_4^2-x_5^2) \\
 & & +\ (x_4^2-x_5^2)(7x_3^2+x_4^2+x_5^2+7x_6^2))+x_1x_4x_6(x_1^2+4x_2^2+7x_3^2+x_4^2+4x_5^2+7x_6^2) \\
 & & -\ x_2x_5x_6(4x_1^2+x_2^2+7x_3^2+4x_4^2+x_5^2+7x_6^2)\bigr)\ , \\
\mathcal{J}_{13}^5(0) & = & -\frac{3}{32\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2\ \bigl(x_2(x_4^2-x_6^2)+x_5(x_1x_4-x_3x_6)\bigr) \\
 & & -\frac{15}{128\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)\ \bigl(-x_4(x_1x_5+x_2x_4)(x_1^2+7x_2^2+4x_3^2 \\
 & & +\ x_4^2+7x_5^2+4x_6^2)+x_6(x_2x_6+x_3x_5)(4x_1^2+7x_2^2+x_3^2+4x_4^2+7x_5^2+x_6^2)\bigr)\ , \\
\mathcal{J}_{14}^5(0) & = & -\frac{45}{128\sqrt{2}}\ (x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_2^2-x_3^2+x_5^2-x_6^2)(x_1(x_2x_6-x_3x_5) \\
 & & +x_4(x_2x_3-x_5x_6)), \\
\mathcal{J}_{15}^5(0) & = & \frac{3}{32\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2\ \bigl(x_6(x_2^2-x_4^2)+x_3(x_1x_4+x_2x_5)\bigr) \\
 & & -\frac{15}{128\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)\ \bigl(x_4(x_1x_3-x_4x_6)(x_1^2+4x_2^2+7x_3^2 \\
 & & +\ x_4^2+4x_5^2+7x_6^2))+x_2(x_2x_6+x_3x_5)(4x_1^2+x_2^2+7x_3^2+4x_4^2+x_5^2+7x_6^2)\bigr)\ , \\
\mathcal{J}_{16}^5(0) & = & -\frac{3}{32\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2\ \bigl(x_5(x_3^2-x_4^2)+x_2(x_1x_4+x_3x_6)\bigr) \\
 & & -\frac{15}{128\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)\ \bigl(x_5(x_1^2(x_4^2-4x_3^2)+x_6^2(4x_4^2-x_3^2) \\
 & & +\ (x_4^2-x_3^2)(7x_2^2+x_3^2+x_4^2+7x_5^2))-x_1x_2x_4(x_1^2+7x_2^2+4x_3^2+x_4^2+7x_5^2+4x_6^2) \\
 & & -\ x_6x_2x_3(4x_1^2+7x_2^2+x_3^2+4x_4^2+7x_5^2+x_6^2)\bigr)\ ,
\end{array}
$$

$$
\begin{array}{rcl}
\mathcal{J}_{22}^5(0) & = & -\frac{45}{64\sqrt{2}}\ x_5(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1^2-x_3^2+x_4^2-x_6^2)(x_1x_6+x_3x_4), \\
\mathcal{J}_{23}^5(0) & = & \frac{3}{32\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2\ \bigl(x_1(x_5^2-x_6^2)+x_4(x_2x_5-x_3x_6)\bigr) \\
 & & -\frac{15}{128\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)\ \bigl(x_5(x_1x_5+x_2x_4)(7x_1^2+x_2^2+4x_3^2 \\
 & & +\ 7x_4^2+x_5^2+4x_6^2))-x_6(x_1x_6+x_3x_4)(7x_1^2+4x_2^2+x_3^2+7x_4^2+4x_5^2+x_6^2)\bigr)\ , \\
\mathcal{J}_{24}^5(0) & = & -\frac{3}{32\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2\ \bigl(x_6(x_1^2-x_5^2)+x_3(x_1x_4+x_2x_5)\bigr) \\
 & & -\frac{15}{128\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)\ \bigl(x_6(x_2^2(4x_1^2-x_5^2)+x_4^2(x_1^2-4x_5^2) \\
 & & +\ (x_1^2-x_5^2)(x_1^2+7x_3^2+x_5^2+7x_6^2))-x_2x_3x_5(4x_1^2+x_2^2+7x_3^2+4x_4^2+x_5^2+7x_6^2) \\
 & & -\ x_4x_1x_3(x_1^2+4x_2^2+7x_3^2+x_4^2+4x_5^2+7x_6^2)\bigr)\ , \\
\mathcal{J}_{25}^5(0) & = & -\frac{45}{128\sqrt{2}}\ (x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1^2-x_3^2+x_4^2-x_6^2)(x_2(x_1x_6+x_3x_4) \\
 & & -x_5(x_1x_3+x_4x_6)), \\
\mathcal{J}_{26}^5(0) & = & \frac{3}{32\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2\ \bigl(x_4(x_3^2-x_5^2)+x_1(x_2x_5+x_3x_6)\bigr) \\
 & & -\frac{15}{128\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)\ \bigl(x_4(x_2^2(4x_3^2-x_5^2)+x_6^2(x_3^2-4x_5^2) \\
 & & +\ (x_3^2-x_5^2)(7x_1^2+x_3^2+7x_4^2+x_5^2))+x_2x_1x_5(7x_1^2+x_2^2+4x_3^2+7x_4^2+x_5^2+4x_6^2) \\
 & & +\ x_6x_1x_3(7x_1^2+4x_2^2+x_3^2+7x_4^2+4x_5^2+x_6^2)\bigr)\ ,
\end{array}
$$

$$
\begin{array}{rcl}
\mathcal{J}_{33}^5(0) & = & -\frac{45}{64\sqrt{2}}\ x_6(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1^2-x_2^2+x_4^2-x_5^2)(x_1x_5+x_2x_4), \\
\mathcal{J}_{34}^5(0) & = & \frac{3}{32\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2\ \bigl(x_5(x_1^2-x_6^2)+x_2(x_1x_4+x_3x_6)\bigr) \\
 & & -\frac{15}{128\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)\ \bigl(x_6(x_2x_3-x_5x_6)(4x_1^2+7x_2^2+x_3^2 \\
 & & +\ 4x_4^2+7x_5^2+x_6^2))+x_1(x_1x_5+x_2x_4)(x_1^2+7x_2^2+4x_3^2+x_4^2+7x_5^2+4x_6^2)\bigr)\ , \\
\mathcal{J}_{35}^5(0) & = & -\frac{3}{32\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2\ \bigl(x_4(x_2^2-x_6^2)+x_1(x_2x_5+x_3x_6)\bigr) \\
 & & -\frac{15}{128\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)\ \bigl(x_6(-x_1x_3+x_4x_6)(7x_1^2+4x_2^2+x_3^2+7x_4^2 \\
 & & +\ 4x_5^2+x_6^2))-x_2(x_1x_5+x_2x_4)(7x_1^2+x_2^2+4x_3^2+7x_4^2+x_5^2+4x_6^2)\bigr)\ , \\
\mathcal{J}_{36}^5(0) & = & -\frac{45}{128\sqrt{2}}\ (x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1^2-x_2^2+x_4^2-x_5^2)(-x_3(x_1x_5+x_2x_4) \\
 & & +x_6(x_1x_2-x_4x_5)),
\end{array}
$$

$$
\begin{array}{rcl}
\mathcal{J}^5_{44}(0) & = & -\frac{45}{64\sqrt{2}}\ x_1(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_2^2-x_3^2+x_5^2-x_6^2)(-x_2x_3+x_5x_6), \\
\mathcal{J}^5_{45}(0) & = & \frac{3}{32\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2\,\big(x_3(x_2^2-x_1^2)+x_6(x_1x_4-x_2x_5)\big) \\
 & & -\frac{15}{128\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)\,\big(x_3(-x_1^2(x_4^2+4x_5^2)+x_2^2(4x_4^2+x_5^2) \\
 & & -\,(x_1^2-x_2^2)(x_1^2+x_2^2+7x_3^2+7x_6^2))+x_4x_1x_6(x_1^2+4x_2^2+7x_3^2+x_4^2+4x_5^2+7x_6^2) \\
 & & +\,x_5x_2x_6(4x_1^2+x_2^2+7x_3^2+4x_4^2+x_5^2+7x_6^2)\big)\,, \\
\mathcal{J}^5_{46}(0) & = & -\frac{3}{32\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2\,\big(x_2(x_3^2-x_1^2)+x_5(x_1x_4-x_3x_6)\big) \\
 & & -\frac{15}{128\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)\,\big(x_1(x_1x_2-x_4x_5)(x_1^2+7x_2^2+4x_3^2+x_4^2 \\
 & & +\,7x_5^2+4x_6^2))-x_3(x_2x_3-x_5x_6)(4x_1^2+7x_2^2+x_3^2+4x_4^2+7x_5^2+x_6^2)\big)\,, \\
 & & \\
\mathcal{J}^5_{55}(0) & = & -\frac{45}{64\sqrt{2}}\ x_2(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1^2-x_3^2+x_4^2-x_6^2)(x_1x_3-x_4x_6), \\
\mathcal{J}^5_{56}(0) & = & \frac{3}{32\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)^2\,\big(x_1(x_3^2-x_2^2)+x_4(x_2x_5-x_3x_6)\big) \\
 & & -\frac{15}{128\sqrt{2}}(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)\,\big(x_1(-x_2^2(x_5^2+4x_6^2)+x_3^2(4x_5^2+x_6^2) \\
 & & -\,(x_2^2-x_3^2)(7x_1^2+x_2^2+x_3^2+7x_4^2))+x_5x_2x_4(7x_1^2+x_2^2+4x_3^2+7x_4^2+x_5^2+4x_6^2) \\
 & & -\,x_6x_3x_4(7x_1^2+4x_2^2+x_3^2+7x_4^2+4x_5^2+x_6^2)\big)\,, \\
 & & \\
\mathcal{J}^5_{66}(0) & = & -\frac{45}{64\sqrt{2}}\ x_3(x_1^2+x_2^2+x_3^2+x_4^2+x_5^2+x_6^2)(x_1^2-x_2^2+x_4^2-x_5^2)(-x_1x_2+x_4x_5),
\end{array}
\tag{4}
$$